


25/10/2019

EE5311


MODULE-6- ADDERS




$$t_{\text{skip}} = t_{\text{sum}} + (N-1)t_{\text{carry}}$$


$$\underline{t_{\text{CARRY-SKIP}}} = t_{GP} + M t_{\text{CARRY}} + \left(\frac{N-1}{M}\right) t_{\text{bypass}} + (M-1) t_{\text{carry}} + t_{\text{sum}}$$

LINEAR CARRY SELECT ADDER






$$\begin{aligned}
 t_{\text{CARRY-SEL}} &= t_{\text{CARRY}} + M t_{\text{CARRY}} + \left(\frac{N}{M} - 1\right) t_{\text{BYPASS-CY}} + t_{\text{MUX-SUM}} \\
 &= t_{\text{CARRY}} + \underline{M t_{\text{CARRY}}} + \frac{N}{M} t_{\text{BYPASS.}} + \underline{t_{\text{SUM}}}
 \end{aligned}$$



$t_{ap} = 1$
 $t_{sum} = 1$
 $t_{carry} = 1$
 $t_{mux} = t_{bypass} = 1$

NPTEL

SQUARE ROOT ~ CARRY SELECT ADDER




$$t_{\text{sqrt}} = t_{\text{ap}} + M t_{\text{carry}}$$

$$+ P t_{\text{bypass}} + t_{\text{sum}}$$

$$\sim \sqrt{2N}$$

$$\begin{aligned}
 N &= M + (M+1) + (M+2) + \dots + (M+(P-1)) \\
 &= M(P) + \frac{P(P-1)}{2} = (P)(M+\frac{P-1}{2})
 \end{aligned}$$

$$\Rightarrow N \sim P^2/2 \Rightarrow P = \sqrt{2N}$$



NPTEL